## Section 1 - Product Information

Product Name:										
Product Name:							Supplier:	Luster PROFESSIONAL		
Product Name: Chlorine Sanitizer							Address:	1100 Central Industrial Dr	ive	
	roduct Code Number: 7-62							St. Louis, MO 63110		
Product use:	Food Service	Sanitization			REC 1-800-424-9300         Phone:         209-587-8370           azard Identification         Phone:         Phon					
Appoarance	d Odary Liast	vollow liquid chlorin				incation	Precautionary	Statements		
Primary Routes Signal Word: D Causes severe	s of Exposure: ANGER skin burns an	yellow liquid, chlorine Eye, Skin, Ingestion, Hazard Statements d serious eye damage	Inhalation	sive to metal.	Wear protective gloves and eye protection. Wash thoroughly after handling. Do not breathe mist or dust. Avoid release to the environment. Collect spillage. IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do. Continue rinsing.					
		on. Very toxic to aqua			present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth, Do NOT induce vomiting. IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing. Immediately call a POISON CENTER or physician.					
				Section 3	- Compos	ition				
	Che	mical Name			CAS #			Percent w/w		
Sodium Hypocl	hlorite				7681-52-9			6-11		
Sodium Chloric	le				7647-14-5			5-13		
Sodium Hydrox	kide				1310	-73-3		0.2-4.0		
					irst Aid M			, remove to fresh air. If not		
vapors. Wear self-contained positive pressurized breathing a										
Flash Point:	LIMITS				chemical.	vapors. Wear s	self-contained p	positive pressurized breath	ing apparatus	
none		NA	Water spray o			vapors. Wear s MSHA/NIOSH A	self-contained p Approved or eq		ing apparatus	
none	LEL	NA	Water spray o carbon dioxide involved.	r fog, foam,dry e or alcohol foa		vapors. Wear s MSHA/NIOSH A & EXPLOSIOI	self-contained p Approved or eq N HAZARD: Pro	positive pressurized breath uivalent to maintain TLV.	ing apparatus	
none Keep unnecess protective equi	LEL UEL sary and unpro	NA NA ptected personnel fror	Water spray o carbon dioxide involved. Section n entering area	r fog, foam,dry e or alcohol foa <b>6 - Accide</b> a. Ventilate area	m, if product Intal Relea a of leak or spil	vapors. Wear s MSHA/NIOSH A & EXPLOSION SE Measu I and remove a	self-contained p Approved or eq N HAZARD: Pro <b>res</b> Il sources of igu	positive pressurized breath uivalent to maintain TLV.	ing apparatus INUSUAL FIRI ersonal	
none Keep unnecess protective equi	LEL UEL sary and unpro	NA NA ptected personnel fror	Water spray o carbon dioxide involved. Section n entering area when possible.	r fog, foam,dry e or alcohol foa <b>6 - Accide</b> a. Ventilate are Small spills car	m, if product <b>ntal Relea</b> a of leak or spil n be absorbed v	vapors. Wear s MSHA/NIOSH A & EXPLOSION SE Measu I and remove a with noncombu	self-contained p Approved or eq N HAZARD: Pro <b>res</b> Il sources of igu	positive pressurized breath uivalent to maintain TLV. <b>U</b> oduct will not burn. nition. Wear appropriate pe	ing apparatus INUSUAL FIRI ersonal	
None Keep unnecess protective equi flush with plen Store locked u	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh	NA NA Detected personnel from in and recover liquid to tly closed containers,	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c	r fog, foam,dry e or alcohol foa <b>6 - Accide</b> a. Ventilate are Small spills car <b>ion 7 - Ha</b> dry, well ventila	m, if product <b>Intal Relea</b> a of leak or spil n be absorbed v <b>ndling and</b> ited area. Isolat	vapors. Wear s MSHA/NIOSH A & EXPLOSION DISE MEASU I and remove a with noncombu d Storage te from incomp	self-contained p Approved or eq N HAZARD: Pro Il sources of ig stible absorber atible substance	positive pressurized breath uivalent to maintain TLV. <b>U</b> oduct will not burn. nition. Wear appropriate pe	ing apparatus INUSUAL FIRI ersonal thiosulfate and	
None Keep unnecess protective equi flush with plen Store locked u	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh	NA NA Detected personnel from in and recover liquid to tly closed containers,	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp	r fog, foam,dry e or alcohol foa <b>6 - Accide</b> a. Ventilate are. Small spills car <b>ion 7 - Ha</b> dry, well ventila erature is betw	m, if product <b>Intal Relea</b> a of leak or spil n be absorbed v <b>ndling and</b> ited area. Isolat	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage re from incomp. 25°C. Storage a	self-contained p Approved or eq <b>N HAZARD:</b> Pro- <b>res</b> Il sources of ignorest stible absorber atible substance t 15°C reduces	bositive pressurized breath uivalent to maintain TLV. U bduct will not burn. hition. Wear appropriate pe its. Neutralize with sodium es. Avoid storage for long j	ing apparatus INUSUAL FIRI ersonal thiosulfate and	
none Keep unnecess protective equi flush with plen Store locked u as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh	NA NA Detected personnel from in and recover liquid to tly closed containers,	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp	r fog, foam,dry e or alcohol foa <b>6 - Accide</b> a. Ventilate are. Small spills car <b>ion 7 - Ha</b> dry, well ventila erature is betw	m, if product <b>Intal Relea</b> a of leak or spil h be absorbed w <b>Indling and</b> ited area. Isolat ieen 15 <sup>9</sup> C and 2	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage re from incomp. 25°C. Storage a	self-contained p pproved or eq <b>N HAZARD:</b> Pri- <b>res</b> Il sources of ignores stible absorber atible substance t 15°C reduces General Hygi	oositive pressurized breath uivalent to maintain TLV. U oduct will not burn. nition. Wear appropriate pe ts. Neutralize with sodium es. Avoid storage for long p rate of decomposition.	ing apparatus INUSUAL FIR ersonal thiosulfate and periods of time	
none Keep unnecess protective equi flush with plen Store locked up as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh grades over tin	NA NA Detected personnel from in and recover liquid tly closed containers, ne. The recommended	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp Secti	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are Small spills car ion 7 - Ha dry, well ventila erature is betw	m, if product <b>intal Relea</b> a of leak or spil n be absorbed w <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b> <b>interm</b>	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage re from incomp. 25°C. Storage a	Approved or eq Approved or eq N HAZARD: Prince Il sources of ignores stible absorber atible substance t 15°C reduces General Hygi accordance wi practices. Prov	ene Considerations: Har th good industrial hygiene ride suitable facilities for qu	ing apparatus INUSUAL FIR ersonal thiosulfate and periods of time periods of time	
None Keep unnecess protective equi flush with plen Store locked u as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh prades over tin dient kide	NA NA Detected personnel from in and recover liquid tly closed containers, ne. The recommended OSHA PEL:	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp Secti ACGIH TLV	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are Small spills car ion 7 - Ha dry, well ventila erature is betw	m, if product mtal Relea a of leak or spil h be absorbed w mdling and ited area. Isolat een 15°C and 2 posure Cor PPE	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage the from incomp. 25°C. Storage a	Approved or eq Approved or eq N HAZARD: Prince Il sources of ignores stible absorber atible substance t 15°C reduces General Hygi accordance wi practices. Prov	bositive pressurized breath uivalent to maintain TLV. U oduct will not burn. hition. Wear appropriate pe- ts. Neutralize with sodium es. Avoid storage for long p rate of decomposition. ene Considerations: Har th good industrial hygiene ide suitable facilities for qu the eyes and body in case of	ing apparatus INUSUAL FIR ersonal thiosulfate and periods of time periods of time	
None Keep unnecess protective equi flush with plen Store locked u as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh prades over tin dient kide	NA NA btected personnel from in and recover liquid tly closed containers, ne. The recommended OSHA PEL: 2mg/m <sup>3</sup>	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp Secti ACGIH TLV 2mg/m <sup>3</sup>	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are. Small spills car ion 7 - Ha dry, well ventila erature is betw oon 8 - Exp Respiratory:	m, if product <b>Intal Relea</b> a of leak or spil h be absorbed w <b>Indling and</b> ited area. Isolat ited area. Isolat een 15ºC and 2 <b>Dosure Cor</b> <b>PPE</b> not normally r	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage from incomp. 25°C. Storage a	General Hygi accordance wi proved or eq N HAZARD: Pr res Il sources of igi stible absorber atible substance t 15°C reduces	bositive pressurized breath uivalent to maintain TLV. U oduct will not burn. hition. Wear appropriate pe- ts. Neutralize with sodium es. Avoid storage for long p rate of decomposition. ene Considerations: Har th good industrial hygiene ide suitable facilities for qu the eyes and body in case of	ing apparatus INUSUAL FIR ersonal thiosulfate and periods of time periods of time	
None Keep unnecess protective equi flush with plen Store locked u as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh prades over tin dient kide	NA NA Detected personnel from in and recover liquid to tly closed containers, ne. The recommended OSHA PEL: 2mg/m <sup>3</sup> NE	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp ACGIH TLV 2mg/m <sup>3</sup> NE	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are Small spills car ion 7 - Ha dry, well ventila erature is betw fon 8 - Exp Respiratory: Eye: Skin: Ventilation:	m, if product <b>Intal Relea</b> a of leak or spil h be absorbed v <b>Indling and</b> ited area. Isolat reen 15°C and 2 <b>Dosure Cor</b> <b>PPE</b> not normally rr safety glasses Apron, alkali p Normal room v	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage re from incompu 25°C. Storage a htrols/PPE equired , face shield roof gloves ventilation	General Hygi accordance wi proved or eq NHAZARD: Pr res Il sources of ig stible absorber atible substanc t 15°C reduces	bositive pressurized breath uivalent to maintain TLV. U oduct will not burn. hition. Wear appropriate pe- ts. Neutralize with sodium es. Avoid storage for long p rate of decomposition. ene Considerations: Har th good industrial hygiene ide suitable facilities for qu the eyes and body in case of	ing apparatus INUSUAL FIR ersonal thiosulfate an periods of time periods of time	
None Keep unnecess protective equi flush with plen Store locked u as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh prades over tin dient kide	NA NA Detected personnel from in and recover liquid to tly closed containers, ne. The recommended OSHA PEL: 2mg/m <sup>3</sup> NE	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp ACGIH TLV 2mg/m <sup>3</sup> NE	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are Small spills car ion 7 - Ha dry, well ventila erature is betw fon 8 - Exp Respiratory: Eye: Skin: Ventilation:	m, if product Intal Relea a of leak or spil be absorbed w Indling and ted area. Isolat reen 15°C and 2 DOSURE COR PPE not normally r safety glasses Apron, alkali p	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage te from incomp. 25°C. Storage a equired , face shield roof gloves ventilation	General Hygi accordance wi proved or eq NHAZARD: Pr res Il sources of ig stible absorber atible substanc t 15°C reduces	ene Considerations: Har th good industrial hygiene vide suitable facilities for qu	ing apparatus INUSUAL FIR Personal thiosulfate and periods of time periods of time and safety uick drenching of contact or	
none Keep unnecess protective equi flush with plen Store locked up as product deg Ingre Sodium Hydrox Sodium Hydrox	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh prades over tin dient kide	NA NA Detected personnel from in and recover liquid to tly closed containers, ne. The recommended OSHA PEL: 2mg/m <sup>3</sup> NE	Water spray o carbon dioxide involved. Section n entering area when possible. Sect store in cool, c d storage temp ACGIH TLV 2mg/m <sup>3</sup> NE	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are: Small spills car ion 7 - Ha dry, well ventila erature is betw fon 8 - Exp Respiratory: Eye: Skin: Ventilation: - Physical	m, if product <b>Intal Relea</b> a of leak or spil h be absorbed v <b>Indling and</b> ited area. Isolat reen 15°C and 2 <b>Dosure Cor</b> <b>PPE</b> not normally rr safety glasses Apron, alkali p Normal room v	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage refrom incompu 25°C. Storage a equired , face shield roof gloves //entilation hical Proper	General Hygi accordance wi practices. Pro- res Il sources of ig stible absorber atible substance t 15°C reduces General Hygi accordance wi practices. Prov or flushing of t splash hazard.	bositive pressurized breath uivalent to maintain TLV. U oduct will not burn. hition. Wear appropriate pe- ts. Neutralize with sodium es. Avoid storage for long p rate of decomposition. ene Considerations: Har th good industrial hygiene ide suitable facilities for qu the eyes and body in case of	ing apparatus INUSUAL FIR ersonal thiosulfate and periods of time periods of time	
None Keep unnecess protective equi flush with plen Store locked uq as product deg Ingre Sodium Hydrox Sodium Hydrox Sodium Hypocl Appearance	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh prades over tin dient kide hlorite	NA NA NA Detected personnel from in and recover liquid tly closed containers, ne. The recommended OSHA PEL: 2mg/m <sup>3</sup> NE	Water spray o carbon dioxide involved. Section m entering area when possible. Sect store in cool, c d storage temp Secti ACGIH TLV 2mg/m <sup>3</sup> NE	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are: Small spills car ion 7 - Ha dry, well ventila erature is betw fon 8 - Exp Respiratory: Eye: Skin: Ventilation: - Physical	m, if product intal Relea a of leak or spil be absorbed v indling and ited area. Isolat ieen 15°C and 2 boosure Cor PPE not normally re safety glasses Apron, alkali p Normal room v and Chem	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage refrom incompu 25°C. Storage a equired , face shield roof gloves //entilation hical Proper	General Hygi accordance wi practices. Pro- res Il sources of ig stible absorber atible substance t 15°C reduces General Hygi accordance wi practices. Prov or flushing of t splash hazard.	bositive pressurized breath uivalent to maintain TLV. U boduct will not burn. hition. Wear appropriate pe- tits. Neutralize with sodium es. Avoid storage for long p rate of decomposition. ene Considerations: Har th good industrial hygiene ride suitable facilities for qu he eyes and body in case of Upper/lower	ing apparatus INUSUAL FIRI ersonal thiosulfate and periods of time periods of time uck drenching of contact or	
none Keep unnecess protective equi flush with plen Store locked u as product deg	LEL UEL sary and unpro ipment. Conta ty of water. p. Keep in tigh grades over tin dient kide hlorite odor chlorine	NA NA NA Detected personnel from in and recover liquid tly closed containers, ne. The recommended OSHA PEL: 2mg/m <sup>3</sup> NE OGHA Threshold	Water spray o carbon dioxide involved. Section m entering area when possible. Sect store in cool, c d storage temp ACGIH TLV 2mg/m <sup>3</sup> NE Section 9 - pH	r fog, foam,dry e or alcohol foa 6 - Accide a. Ventilate are. Small spills car ion 7 - Ha iry, well ventila erature is betw on 8 - Exp Respiratory: Eye: Skin: Ventilation: - Physical Melting Point	m, if product intal Relea a of leak or spil be absorbed v indling and ited area. Isolat ited area. Iso	vapors. Wear s MSHA/NIOSH A & EXPLOSION I and remove a with noncombu d Storage te from incomp. 25°C. Storage a equired , face shield roof gloves ventilation hical Prope Evaporation rate	General Hygi accordance wi practices. Pro- res Il sources of igi stible absorber atible substance t 15°C reduces General Hygi accordance wi practices. Prov or flushing of t splash hazard. Erties	bositive pressurized breath uivalent to maintain TLV. U boduct will not burn. hition. Wear appropriate pe- tits. Neutralize with sodium es. Avoid storage for long p rate of decomposition. ene Considerations: Har th good industrial hygiene ride suitable facilities for qu he eyes and body in case of Upper/lower flammibility limits NA	ing apparatus INUSUAL FIRE ersonal thiosulfate and periods of time of contact or Vapor pressure	

## Section 10 - Stability and Reactivity

Product reacts violently with acids releasing toxic gas. Product is unstable. Stability decreases with concentration, heat and light exposure, decrease in pH and contamination with heavy metals such as cobalt, nickel, copper and iron. After 3 month's storage at 15°C the product concentration decreases by 2%. Sodium Hypochlorite is extremely corrosive for aluminum and brass. Reacts with metals with oxygen release, with ammonia, urea, oxidizable substances, ammonium nitrate, ammonium oxalate, ammonium phosphate, ammonium acetate, ammonium carbonate, cellulose and methanol. Avoid exposure to light, heat and incompatibles.											
Section 11- Toxicological Information											
ingre	dient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure		
Sodium Hypoc	hlorite	1100mg/kg(rat)	>20g/kg	corrosive	No	No	No	No info	No info		
Sodium Hydro>	kide	not listed	1350mg/kg	corrosive	Not listed	No Info	No info	No info	No info		
Section 12 - Ecological Information Section							13 - Disposal Considerations				
Fish Toxicity:This material is believed to be of a moderate order of toxicity based on analogous material. Biodegradation: This material is inorganic and not subject to biodegradation. Persistence:This material is believed not to persist in the environment. Bioconcentration:This material is believed not to bioaccumulate. Other Ecological Information:This material may be harmful to aquatic life in low concentrations											
			Secti	on 14 - Tr	ansport In	formatior	n in the second s				
UN number			Basic Descript	ion(DOT)			Class	Packing Group	LTD QTY		
UN1791			Solution			8	III	< 5 Liter			
UN number	Basic Description(IATA)						Class	Packing Group	LTD QTY		
UN1791	Hypochlorite Solution							III	< 1 Liter		
UN number	Basic Description(IMDG)						Class	Packing Group	LTD QTY		
UN1791	Hypochlorite Solution						8	III	< 5 Liter		
					gulatory l						
SARA Title 3: Does not contain reportable chemicals under sections 302, 304, or 313 of Title III of the Superfund amendments and Reauthorization Act of 1986. CERCLA: Sodium Hypochlorite. For more information consult 40 CFR parts 302, 355, 370, 372, and 40 CFR part 68											
Section 16 - Other Information											
WHMIS:				HMIS:	Health 3	Flam 0	Physical Haza				
Date Prepared	18-Jan-2019			Prepared by:	Environmental,	Health and Sa	fety Administrator.				
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.											
Legend for Abbreviations: NA - not applicable NE - Not Established											