## Section 1 - Product Information

Product Name:	Ultra Metal-S	afe Detergent	Product use: A	luminum safe a	lkaline deterge	ent	Supplier:	Luster Professional		
Product Code N			Phone: 209-58	7-8370				1100 Central Industrial Driv	/e	
		I		ntact: CHEMTR	EC 800-424-93	Address:		St. Louis,MO 63110		
				ion 2 - Ha						
OSHA Hazards	Corrosive						Precautionary	Statements		
		Category 1B, Corrosi	ve(eye) Catego	,	IF ON SKIN(or I		mmediately all	Wash thoroughly after hand contaminated clothing. Ring		
Signal Word: D	ANGER				IF IN EYES: Rin	se cautiously w	ith water for s	euse. everal minutes. Remove cor	tacts if	
5		Hazard Statements				asy to do. Conti D: Rinse mouth		re vomiting		
Causes severe	skin burns and	l eye damage. May b	e corrosive to r	metals.	IF INHALED: Re	emove to fresh	air and keep a	t rest position comfortable f	or breathing.	
	<					all a POISON CE				
				Section 3	- Compos	ition				
	Cher	nical Name			CA	S #		Percent w/w		
Tetra Sodium E	DTA				64-0	02-8		7		
Sodium Hydro	xide				1310	-73-2		3		
			So	tion 4 - Fi	irst Aid M	aasuras				
Skin: Flush wit	h flowing wate	r for at least 15 minu					edical treatme	ent of any burns that may oc	cur.	
Evec, Eluch wit	- h flowing wate	r for 15 min & coo nh	veician							
-	-	r for 15 min & see ph nse mouth, do not ind	-	immodiately ca		NTED or doct				
Inhalation: IF II	NHALED, remo	ve to fresh air and ke	· ·							
			Section 5	- Fire and	•				<u></u>	
Flash Point:	Limits	Exti	nguishing Me					edures: Avoid exposure to to positive pressurized breathir		
none	LEL	NA		r fog, foam,dry e or alcohol foar				uivalent to maintain TLV. <b>UN</b> oduct will not burn.	IUSUAL FIRE	
	UEL	NA	involved.			& EXPLOSION	HAZARD: PIC			
			Section	6 - Accide	ntal Relea	se Measu	res			
Neutralize with	n dilute acid, or	sodium bicarbonate	. Mop up and fl	ush to sewer w	ith plenty of wa	ater. Floors may	y be slippery. U	se care to avoid falls.		
			Sect	ion 7 - Hai	ndling and	Storage				
Store locked u	o. Store uprigh	t in original closed co	ntainer.							
			Secti	on 8 - Exp	osure Cor	ntrols/PPE				
Ingredient		OSHA PEL:	ACGIH TLV		PPE		Ventilation:	Normal room ventalization		
Sodium Hydroxide 2mg/m <sup>3</sup>		2mg/m³	2mg/m <sup>3</sup> Respiratory:		not normally required		General Hygiene Considerations: Handle in			
			Eye:		safety glasses, face shield		<ul> <li>accordance with good industrial hygiene and safety practices. Provide suitable facilities for quick drenching</li> </ul>			
			Skin:		Apron, alkali proof gloves		or flushing of the eyes and body in case of contact or splash hazard.			
							spiasii nazaru.			
		Ś	Section 9	- Physical	and Chem	ical Prope	erties			
						Evaporation		Upper/lower	Vapor	
Appearance	odor	odor threshold	рН	Melting Point	Boiling point	rate	Flammability	flammibility limits	pressure	
colorless liquid	mild	NE	13	NE	212ºF	>1(water =1)	NA	NA	17mm Hg	
/apor Density	Density	Specific Gravity	pH(use dil)	Solubility	Partition coefficient	Auto Ignition temp	Decompositi on Temp	Viscosity		
0.62(air =1)	9.74	1.16	11	100% in water	NE	NA	NA	waterlike		

Section 10 - Stability and Reactivity
Product is stable, hazardous polymerization will not occur. Incompatible with strong acids. If burned, normal combustion products: Carbon Dioxide, Carbon Monoxide,
Nitrous Oxides.

		Jectio		icological l				
ingredient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure
odium Hydroxide	Not available	1350mg/kg	corrosive	Not listed	No info	No info	No info	No info
II combined	Not available	NE	corrosive	Not listed	No info	No info	No info	No info

Section 12 - Ecological Information				Section 13 - Disposal Considerations					
No information available				Products covered by this SDS, in their original form, are considered corrosive hazardous waste(waste code D002) according to RCRA(40 CFR 261). Dispose of in accordance with applicable Federal, State and Local regulations.					
		Section	ו 14 - Tr	ansport l	nformatio	n			
UN number		Basic Description	n(DOT)			Class	Packing Group	LTD QTY	
JN1719		oxide)		8	II	< 1Liter			
JN number	Basic Description(IATA)					Class	Packing Group	LTD QTY	
JN 1719	Caustic Alkali Liquid, n.o.s( sodium hydroxide)					8	I	< 0.5L	
JN number	Basic Description(IMDG)					Class	Packing Group	LTD QTY	
JN1719		oxide)		8	II	< 1Liter			
		Section	15 - Re	gulatory	Informati	on			
6ARA Title 3: D	oes not contain	reportable chemicals under sections	302, 304, o	r 313 of Title	II of the Super	fund amendme	ents and Reauthorization Ac	t of 1986.	
CERCLA: Potas	sium Hydroxide.	For more information consult 40 CFR	•		ormation	oart 68			
			MIS:	Health 3	Flam 0	R - 0	PPE - C		
Date Prepared	02-08-2019			ed by: Environmental, Health and Safety Administrator.					
s designed on specification. T process, unles	y as guidance for he information r s specified in the	s Safety Data Sheet is correct to the or safe handling, use, processing, stor elates only to the specific material de text. not applicable NE - Not Established	rage, transp	ortation, disp	osal, and relea	se and is not t	o be considered a warranty	or quality	