

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 1: Identification

1.1. Product identifier

Product name : OPULENCE TCELL 2.0

Product code : 425853 SKU # : 1957527

1.2. Recommended use and restrictions on use

Recommended use : Air care products, Odour agents

Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

1.3. Supplier

Supplier

Newell Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier - Switzerland T +44(0)870 5686824

SDS.RCP@newellco.com

Other

Rubbermaid Commercial Products LLC

20 Hereford Street

L6Y 0M1 Brampton - Canada

T 1.800.998.7004

1.4. Emergency telephone number

Emergency number : +44(0)870 5686824

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flammable liquids, Category 4 H227
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2A H319
Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : H227 - Combustible liquid

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 - Wear protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

05/25/2018 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Product identifier	%	Classification (GHS-CA)
HEXYL ACETATE	(CAS-No.) 142-92-7	10 - 30	Aquatic Chronic 2, H411
CITRAL	(CAS-No.) 5392-40-5	10 - 30	Skin Irrit. 2, H315 Skin Sens. 1, H317
2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE	(CAS-No.) 68039-49-6	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
2,6-DIMETHYL-7-OCTEN-2-OL	(CAS-No.) 18479-58-8	0 - 3	Eye Irrit. 2A, H319
DECANAL	(CAS-No.) 112-31-2	1 - 5	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
OCTANAL	(CAS-No.) 124-13-0	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412
PINENES	(CAS-No.) 127-91-3	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
1-(3-METHYL-2- BENZOFURANYL)ETHANONE	(CAS-No.) 23911-56-0	0.1 - 1	Not classified
ALPHA-PINENES	(CAS-No.) 80-56-8	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
OCIMENE - MAINLY 3,7- DIMETHYLOCTA 1,3,6-TRIENE	(CAS-No.) 13877-91-3	< 0.1	Asp. Tox. 1, H304
MYRCENE	(CAS-No.) 123-35-3	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
Limonene	(CAS-No.) 5989-54-8	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
TERPINOLENE	(CAS-No.) 586-62-9	< 0.1	Aquatic Chronic 2, H411 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

- : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice. Assure fresh air breathing. Allow the victim to rest.
- First-aid measures after skin contact
- : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice if skin irritation persists.

First-aid measures after eye contact

: Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Obtain emergency medical attention.

First-aid measures general

 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Sand. Water spray.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

05/25/2018 EN (English) 2/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. No open flames. No smoking.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store

away from other materials. Collect spillage.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Provide good ventilation in process area to

prevent formation of vapour. Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Contaminated work clothing should not be allowed out of the

workplace. Wash contaminated clothing before reuse.

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Incompatible materials : Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Skin and body protection:

Wear suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Transparent.

Colour : colourless to slightly yellow

Odour characteristic Odour threshold No data available No data available Hq Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point No data available **Boiling** point : No data available

Flash point : 69 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available

05/25/2018 EN (English) 3/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Relative density : 0.89 - 0.894
Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Chemical stability : Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

Conditions to avoid : Open flame. Overheating. Direct sunlight. Heat. Sparks.

Hazardous decomposition products : May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

CITRAL (5392-40-5)	
LD50 oral	4960 mg/kg bodyweight
LD50 dermal	2250 mg/kg bodyweight
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
LD50 oral rat	4000 mg/kg

2,4-DIME I HYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
LD50 oral rat	4000 mg/kg
LD50 oral	2830 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight

ALPHA-PINENES (80-56-8)

LD50 oral 3700 mg/kg bodyweight

LD50 dermal > 5000 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

CITRAL (5392-40-5)	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l waterflea
EC50 other aquatic organisms 2	5 mg/l
ALPHA-PINENES (80-56-8)	
LC50 fish 1	0.28 mg/l
EC50 other aquatic organisms 1	1.44 mg/l waterflea

12.2. Persistence and degradability

OPULENCE TCELL 2.0	
Persistence and degradability	May cause long-term adverse effects in the environment.

05/25/2018 EN (English) 4/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.3. Bioaccumulative potential

CITAL (3392-40-3)	
Log Pow 2.	8

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Log Pow 2.7

ALPHA-PINENES (80-56-8)

Log Pow 4.32

12.4. Mobility in soil

CITRAL (5392-40-5)	
Log Pow	2

Log Pow 2.8

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Log Pow 2.7

ALPHA-PINENES (80-56-8)

Log Pow 4.32

12.5. Other adverse effects

Effect on ozone layer : None to our knowledge.

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

14.1. Basic shipping description

No additional information available

14.2. Transport information/DOT

Department of Transport

Not regulated for transport

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

SECTION 15: Regulatory information

15.1. National regulations

2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

HEXYL ACETATE (142-92-7)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Listed on the Canadian DSL (Domestic Substances List)

PINENES (127-91-3)

Listed on the Canadian DSL (Domestic Substances List)

MYRCENE (123-35-3)

Listed on the Canadian DSL (Domestic Substances List)

05/25/2018 EN (English) 5/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

ALPHA-PINENES (80-56-8)

Listed on the Canadian DSL (Domestic Substances List)

TERPINOLENE (586-62-9)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

HEXYL ACETATE (142-92-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CITRAL (5392-40-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DECANAL (112-31-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

OCTANAL (124-13-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

PINENES (127-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

OCIMENE - MAINLY 3,7-DIMETHYLOCTA 1,3,6-TRIENE (13877-91-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

MYRCENE (123-35-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Limonene (5989-54-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ALPHA-PINENES (80-56-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

TERPINOLENE (586-62-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

Date of issue : 01/01/2018

Full text of H-statements:

H226	Flammable liquid and vapour.
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/25/2018 EN (English) 6/6