

SAFETY DATA SHEET
OIL BASE SWEEPING COMPOUND

SECTION 1 – PRODUCT AND COMPANY INFORMATION

MANUFACTURER: SORB-ALL COMPANY - 2300 NANCE - HOUSTON, TEXAS 77020
713 223-4575 - FAX: 713 223-4579
PRODUCT FAMILY: OIL BASE SWEEPING COMPOUND
PRODUCT NAME: "SWEEP EZ" OIL BASE SWEEPING COMPOUND
PRODUCT CODES: Model Numbers: 3000, 3001, and 3100
VERSION DATE: MAY 29, 2015

EMERGENCY PHONE: 713 223-4575

SECTION 2 – HAZARD IDENTIFICATION

CLASSIFICATION: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO 29 CFR 19010.1200 (2012)

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS MATERIAL CAS NO.
WT %

WOODFIBRE SAWDUST	NONE
PETROLEUM HYDROCARBON	CAS#: 64742-46-7
INDUSTRIAL OIL AND WATER EMULSIFIED	CAS #: 64742-53-6
COLOR*(RED)	CAS #:1103-38-4 & 5281-04-9
E. COLOR (BLUE/GREEN)	CAS #147-14-8

SECTION 4 – FIRST AID MEASURES DESCRIPTION OF FIRST AID MEASURES

GENERAL ADVICE: CONSULT A PHYSICIAN. MOVE OUT OF DANGEROUS AREA.

IF INHALED: IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT: WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN

IN CASE OF EYE CONTACT: RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT PHYSICIAN.

IF SWALLOWED: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH WITH WATER.

MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED: SEE SECTION 11. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION

SECTION 5 – FIREFIGHTING MEASURES

EXTINGUISHING MEDIA: WATER FOG, CO2, HALON, OR FOAM.

SPECIAL FIREFIGHTING PROCEDURES AND HAZARDS: NONE KNOWN.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

SPILLS AND LEAKS: RECOVER FREE MATERIALS-NO SPECIAL METHOD

STORAGE AND HANDLING: KEEP AWAY FROM HIGH HEAT SOURCE

WASTE DISPOSAL: MAY BE DISPOSABLE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS OR INCINERATE BY STATE OR LOCAL LAWS. EMPTY CONTAINERS: RECYCLABLE PAPERBOARD AND POLY BAG OTHER PRECAUTIONS: N/A

SECTION 7 – HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING AND STORAGE: PRODUCT DOES NOT PRESENT HAZARDS.
CONDITIONS OF SAFE STORAGE: KEEP AWAY FROM INCOMPATIBLE MATERIALS

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

COMPONENT EXPOSURE LIMITS: OSHA PEL TWO 15 MG/M3 (TOTAL DUST) 5.0 MG/M3 RESPIRABLE DUST. EXPOSURE CONTROLS: AIRBORNE DUSTING CONDITIONS OF THIS MATERIAL DO NOT EXIST BECAUSE OF A UNIFORM COAGULATED COMPOUND MIX. WOODFIBRE SAWDUST* PEL: 5 MG/MG PETROLEUM HYDROCARBON PEL: 5 MG/M3 CAS#: 64742-46-7 AIRBORNE DUSTING CONDITIONS OF THIS MATERIAL DO NOT EXIST BECAUSE OF A UNIFORM COAGULATED COMPOUND MIX.

APPROPRIATE ENGINEERING CONTROLS: HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTICES.

PERSONAL PROTECTIVE EQUIPMENT: NOT NORMALLY REQUIRED.

EYE/FACE PROTECTION: NOT NORMALLY REQUIRED.

SKIN PROTECTION; NOT NORMALLY REQUIRED.

BODY PROTECTION: NOT NORMALLY REQUIRED.

RESPIRATORY PROTECTION: NOT NORMALLY REQUIRED.

CONTROL OF ENVIRONMENTAL EXPOSURE: PRODUCT DOES NOT LEND ITSELF TO SPILLS OR LEAKAGE.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION:

APPEARANCE: RED OR GREEN HOMOGENEOUS MIXTURE

COLOR: RED OR GREEN

ODOR: LUBE OIL SMELL

IMPORTANT HEALTH, SAFETY

AND ENVIRONMENTAL INFORMATION

BOILING POINT/RANGE: NA

FLASH POINT (METHOD): GREATER THAN 200 DEG. F PENSKEY-MARTEN

AUTO IGNITION TEMP:

LOWER FLAMMABILITY LIMIT: NA

UPPER FMALLABILITY POINT: NA

EXPLOSION LIMITS:

UPPER: N/A

LOWER: N/A

VAPOR PRESSURE: NA

VAPOR DENSITY: N/A

FREEZING POINT/MELTING POINT: N/A

SPEC. GRAVITY: N/A

WATER SOLUBILITY: NO

VAPOR PRESSURE: N/A

BOILING POINT: N/A

VOC CONTENT: NONE (N/A)

FLASH POINT (METHOD): N/A

EXPLOSION LIMITS: UPPER: N/A LOWER: N/A

OTHER INFORMATION

VOLATILITY: N/A

WEIGHT/GAL:

OIL MELTING POINT: N/A

SECTION 10 – STABILITY AND REACTIVITY

STABILITY: STABLE **HAZARD REACTION POTENTIAL:** NONE KNOWN **CONDITIONS TO AVOID;** NONE KNOWN **INCOMPATIBLE PRODUCTS:** AVOID CONTACT WITH OXIDIZING AGENTS.

HAZARD DECOMPOSITION PRODUCTS: THERMAL OXIDATIVE DEGRADATION OF WOOD PRODUCES IRRITATING AND TOXIC FUMES AND GASES INCLUDING CO₂, ALDEHYDES AND ORGANIC ACIDS. **HAZARDOUS POLYMERIZATION:** DOES NOT OCCUR.

SECTION 11 – TOXICOLOGICAL INFORMATION

INHALATION: N/A

SKIN: EXTENDED CONTACT COULD CAUSE IRRITATION. SOME PERSONNEL ARE MORE SENSITIVE THAN OTHERS, WEAR GLOVES IF NECESSARY.

EYES: CAN CAUSE IRRITATION. WEAR GLASSES OR GOGGLES AS NEEDED. IF MATERIAL GETS INTO EYES, FLUSH WITH WATER IMMEDIATELY FOR 15 MINUTES. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

INGESTION: NO EFFECTS REPORTED.

MOST LIKELY ROUTES OF ENTRY: SKIN, EYES

SECTION 12 – ECOLOGICAL INFORMATION

TOXICITY: PRODUCT DOES NOT LEND ITSELF TO SPILLS:

PERSISTENCE AND DEGRADEIBILITY: NO INFORMATION **BIOACCUMULATIVE POTENTIAL:** NO INFORMATION

MOBILITY IN SOIL: PRODUCT DOES NOT LEND ITSELF TO SPILLS. **OTHER**

ADVERSE EFFECTS: NONE KNOWN.

SECTION 13 – DISPOSAL CONSIDERATION

PRODUCT: CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE. **CONTAMINATED**

PACKAGING: DISPOSE OF AS UNUSED PRODUCT.

SECTION 14 – TRANSPORT INFORMATION

NOT REGULATED

SECTION 15 – REGULATORY INFORMATION

NOT REGULATED

SECTION 16 – OTHER INFORMATION

PLEASE NOTE: THIS SDS IS BEING PROVIDED TO YOUR COMPANY FOR THE PURPOSE OF PROVIDING CURRENT HEALTH AND SAFETY INFORMATION TO YOUR MANAGEMENT AND FOR YOUR EMPLOYEES WHO WORK WITH THIS MATERIAL. PLEASE READ THE INFORMATION ON THESE SHEETS, AND THEN PROVIDE THIS INFORMATION TO THOSE PEOPLE AT YOUR COMPANY WHOSE RESPONSIBILITY IT IS TO COMPLY WITH FEDERAL AND STATE RIGHT-TO-KNOW REGULATIONS. ALSO MAKE THIS INFORMATION AVAILABLE TO ANY EMPLOYEE WHO REQUESTS IT. IT IS YOUR OBLIGATION TO COMPLY WITH THESE REGULATIONS.

SORB-ALL COMPANY - 2300 NANCE - HOUSTON, TEXAS 77020– SAFETY DATA SHEET - PAGE 2 of 2