

Version 1.2	Revision Date: 03/19/2015	MSDS Number: 36329-00003		Date of last issue: 02/10/2015 Date of first issue: 12/11/2014	
SECTION	1. IDENTIFICATION				
Produ	Product name		PURELL® Hand	Sanitizing Wipes	
Manu	facturer or supplier's	deta	ails		
	any name of supplier	:			
Addre	Address		One GOJO Plaza, Suite 500 Akron OH 44311		
Telep	hone	:	1 (330) 255-6000		
Emerç	Emergency telephone		1-800-424-9300	CHEMTREC	
Recommended use of the c		chen	nical and restriction	ons on use	
Recor	Recommended use		Human hygiene b	biocidal products	
Restri	Restrictions on use		consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information wackage or instruction sheet.	

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	<ul> <li>Prevention:</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P280 Wear eye protection/ face protection.</li> </ul>



ersion 2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: ( Date of first issue: 7	
		for several min to do. Continue	utes. Remove contact I	se cautiously with water enses, if present and easy Get medical advice/
Othe	r hazards			
None	known.			
ECTION	3 COMPOSITION/IN	NFORMATION ON ING		
Subst	tance / Mixture	: Mixture		
Haza	rdous ingredients			
Chem	nical Name		CAS-No.	Concentration (%)
Chem			CAS-No. 8001-54-5	Concentration (%) >= 0.1 - < 1
Chem	nical Name			
Chem Benza	nical Name	URES		( )
Chem Benza	nical Name alkonium chloride	: In the case of a advice immedia	8001-54-5 accident or if you feel ur ately.	>= 0.1 - < 1
Chem Benza	nical Name alkonium chloride 4. FIRST AID MEAS ral advice	<ul> <li>In the case of a advice immedia When sympton advice.</li> <li>If inhaled, removing the sympton of the sympto of the sympton of the sympto of the sympton of the sympton o</li></ul>	8001-54-5 accident or if you feel ur ately. ns persist or in all cases	>= 0.1 - < 1

In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention.</li> </ul>
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

and effects, both acute and delayed	
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.

Most important symptoms : Causes serious eye irritation.

## SECTION 5. FIRE-FIGHTING MEASURES



Vers 1.2	sion	Revision Date: 03/19/2015		SDS Number: 329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
Suitable extinguishing media		:	Water spray Alcohol-resistant Dry chemical Carbon dioxide (C		
	Unsuitable extinguishing media		:	None known.	
	Specific hazards during fire fighting		:	Exposure to com	pustion products may be a hazard to health.
	Hazardous combustion prod- ucts		:	No hazardous co	mbustion products are known
	Specific extinguishing methods		:	circumstances an Use water spray t	measures that are appropriate to local d the surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
		l protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.</li> <li>Clean up remaining materials from spill with suitable absorbent.</li> <li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>

### SECTION 7. HANDLING AND STORAGE



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014			
Technical measures		5	ng measures under EXPOSURE PERSONAL PROTECTION section.			
Loc	al/Total ventilation	: Use only with adequate ventilation.				
Adv	ice on safe handling	Do not swallov Do not get in e Avoid prolonge Handle in acco practice.				
Cor	nditions for safe storage		rly labeled containers. dance with the particular national regulations.			
Materials to avoid		: Do not store w Strong oxidizir	vith the following product types: ng agents			

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

## Hazardous components without workplace control parameters

nazardous components witho	at workplace control parameters
Ingredients	CAS-No.
Benzalkonium chloride	8001-54-5
Engineering measures	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
Personal protective equipmen	t
Respiratory protection	No personal respiratory protective equipment normally required.
Hand protection	
Material	Impervious gloves
Remarks	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	Wear the following personal protective equipment: Safety goggles
Skin and body protection	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure



ersion .2	Revision Date: 03/19/2015	-	DS Number: 329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014		
				st be avoided by using impervious protective aprons, boots, etc).		
Hygiene measures		<ul> <li>Ensure that eye flushing systems and safety showers are located close to the working place.</li> <li>When using do not eat, drink or smoke.</li> <li>Wash contaminated clothing before re-use.</li> </ul>				
ECTION 9	9. PHYSICAL AND CHI	ΞΜΙΟ		S		
Appea	rance	:	liquid			
Color		:	clear, Colorless	to pale yellow		
Odor		:	citrus			
Odor T	hreshold	:	No data availab	le		
рН		:	5.5 - 8.5			
Melting	g point/freezing point	:	No data availab	le		
Initial b range	poiling point and boiling	:	99 °C			
Flash p	point	:	> 100 °C			
Evapo	ration rate	:	No data availab	le		
Flamm	ability (solid, gas)	:	Not applicable			
Upper	explosion limit	:	No data availab	le		
Lower	explosion limit	:	No data availab	le		
Vapor	pressure	:	No data availab	le		
Relativ	ve vapor density	:	No data availab	le		
Densit	у	:	1.0 g/cm3			
	ity(ies) er solubility	:	soluble			
	on coefficient: n- I/water	:	Not applicable			
Autoig	nition temperature	:	No data availab	le		
Decom	position temperature	:	The substance of	or mixture is not classified self-reactive.		
Viscos	ity					



MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014	
: 75 mm2/s (25 °	°C)	
: Not explosive		
: The substance or mixture is not classified as oxidizing.		
	36329-00003 : 75 mm2/s (25 ° : Not explosive	36329-00003       Date of first issue: 12/11/2014         : 75 mm2/s (25 °C)         : Not explosive

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

<b>Information on likely route</b> Inhalation Skin contact Ingestion Eye contact	es of exposure
Acute toxicity Not classified based on ava	ilable information
Product:	
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate: &gt; 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method</li> </ul>
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Benzalkonium chloride: Acute oral toxicity	: LD50 (Rat): 344 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	<ul> <li>LC50 (Rat): 0.25 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials</li> </ul>



ersion 2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
Acute	e dermal toxicity	: LD50 (Rabbit): Remarks: Base	3,412 mg/kg d on data from similar materials
-	corrosion/irritation lassified based on av	ailable information.	
<u>Prod</u> Resu	<b>uct:</b> lt: No skin irritation		
Benz Speci Resu	dients: alkonium chloride: ies: Rabbit lt: Corrosive after 3 m arks: Based on data fi	inutes to 1 hour of expo rom similar materials	osure
	ous eye damage/eye		
Caus	es serious eye irritatio	on.	
Prod			
Resu	It: Irritation to eyes, re	eversing within 21 days	
<b>Benz</b> Speci Resu	dients: alkonium chloride: ies: Rabbit lt: Irreversible effects arks: Based on data fi		
Resp	iratory or skin sens	itization	
Skin s	sensitization: Not clas	sified based on availab Not classified based on	
Prod Asses	<u>uct:</u> ssment: Does not cau	se skin sensitization.	
Benz Test Route Speci Metho Resu	dients: alkonium chloride: Type: Buehler Test es of exposure: Skin o ies: Guinea pig od: OECD Test Guide It: negative arks: Based on data fr	eline 406	
	n cell mutagenicity		
	lassified based on av	allable information.	
Benz	dients: alkonium chloride: toxicity in vitro		terial reverse mutation assay (AMES) Test Guideline 471 e



ersion 2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
		Remarks: Ba	ased on data from similar materials
Geno	toxicity in vivo	cytogenetic a Species: Mo Application F Method: OE Result: nega	use Route: Ingestion CD Test Guideline 474
	nogenicity assified based on availa	ble information.	
	dients:		
<b>Benz</b> a Speci	alkonium chloride: es: Rat cation Route: Ingestion		
Expos Metho	sure time: 2 Years od: OECD Test Guidelin t: negative	e 453	
Rema	arks: Based on data from	n similar materials	
IARC	:		f this product present at levels greater than or s identified as probable, possible or confirmed gen by IARC.
OSH	A		f this product present at levels greater than or s identified as a carcinogen or potential carcino-
NTP			f this product present at levels greater than or s identified as a known or anticipated carcinogen
Repro	oductive toxicity		
Not cl	assified based on availa	ble information.	
	<u>dients:</u>		
	alkonium chloride: s on fertility	Species: Ra Application F Method: OE Result: nega	Route: Ingestion CD Test Guideline 416
Effect	s on fetal development	Species: Ra Application F Method: OE Result: nega	Route: Ingestion CD Test Guideline 414



Date of last issue: 02/10/2015 Date of first issue: 12/11/2014

# **PURELL® Hand Sanitizing Wipes**

Version	Revision Date:	MSDS Number:
1.2	03/19/2015	36329-00003

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Ingredients:

Benzalkonium chloride: Species: Dog NOAEL: 50 mg/kg Application Route: Ingestion Exposure time: 13 w Method: OECD Test Guideline 409 Remarks: Based on data from similar materials

## Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

<u>Ingredients:</u> Benzalkonium chloride:		
Toxicity to fish	<ul> <li>LC50 (Oncorhynchus mykiss (rainbow trout)): 0.85 mg/l Exposure time: 96 h Remarks: Based on data from similar materials</li> </ul>	
Toxicity to daphnia and other aquatic invertebrates	<ul> <li>EC50 (Daphnia magna (Water flea)): 0.016 mg/l</li> <li>Exposure time: 48 h</li> <li>Method: Directive 67/548/EEC, Annex V, C.2.</li> <li>Remarks: Based on data from similar materials</li> </ul>	
Toxicity to algae	<ul> <li>EC50 (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l</li> <li>Exposure time: 72 h</li> <li>Method: OECD Test Guideline 201</li> <li>Remarks: Based on data from similar materials</li> </ul>	9
	EC10 (Pseudokirchneriella subcapitata (green algae)): 0.00 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	)9
M-Factor (Acute aquatic tox- icity)	: 10	
Toxicity to fish (Chronic toxicity)	<ul> <li>NOEC (Pimephales promelas (fathead minnow)): &gt; 32.2 mg Exposure time: 34 d Remarks: Based on data from similar materials</li> </ul>	g/I



Version 1.2	Revision Date: 03/19/2015		SDS Number: 329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
aqu	kicity to daphnia and other uatic invertebrates pronic toxicity)	:	Exposure time: 2 Method: OECD T	magna (Water flea)): 0.0125 mg/l 1 d est Guideline 211 on data from similar materials
	Factor (Chronic aquatic icity)	:	1	
То	kicity to bacteria	:		h est Guideline 209 on data from similar materials
Pe	sistence and degradabi	lity		
Be	redients: nzalkonium chloride: degradability	:		95.5 %
Bio	accumulative potential			
<b>Be</b> Pai	redients: nzalkonium chloride: tition coefficient: n- anol/water	:	log Pow: 0.004 Remarks: Based	on data from similar materials
Мо	bility in soil			
No	data available			
	n <b>er adverse effects</b> data available			

Disposal n	nethods
------------	---------

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

## International Regulation

**UNRTDG** Not regulated as a dangerous good



ersion 2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2 Date of first issue: 12/11/2	
IATA-		1		
	egulated as a dangero	ous good		
	-Code egulated as a dangero	ous good		
	port in bulk accordi	-	POL 73/78 and the IBC Co	de
	estic regulation			
49 CF	-	ous good		
ECTION	15. REGULATORY I	NFORMATION		
EPCR	A - Emergency Plar	ning and Community I	Right-to-Know	
	LA Reportable Qua	•		
		ain any components with		
	•	ardous Substances Re ain any components with	portable Quantity n a section 304 EHS RQ.	
SARA	311/312 Hazards	: Acute Health Ha	zard	
SARA	302		this material are subject to t SARA Title III, Section 302.	he reporting
SARA	313	known CAS num	es not contain any chemical bers that exceed the thresh established by SARA Title II	old (De Minimis
US St	ate Regulations			
Penns	sylvania Right To Kı	now		
	Water		7732-18-5	90 - 100 %
	2-Phenoxy	/ethanol	122-99-6	0.1 - 1 %
New 、	Jersey Right To Kno	W		00 100 57
	Water		7732-18-5	90 - 100 %
Califo	ornia Prop 65		es not contain any chemical a to cause cancer, birth, or ects.	
The i	ngredients of this pr	oduct are reported in t	he following inventories:	
AICS		: All ingredients lis	ted or exempt.	




Version	Revision Date:	MSDS Number:	Date of last issue: 02/10/2015
1.2	03/19/2015	36329-00003	Date of first issue: 12/11/2014

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## SECTION 16. OTHER INFORMATION

### Further information



Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8